# 2021 CADILLAC ESCALADE SPECIFICATIONS (NORTH AMERICA)

## **EPA-ESTIMATED MPG**

	ESCALADE	ESCALADE ESV
City	14 (2WD) – 6.2L <sup>1</sup>	14 (2WD) – 6.2L <sup>1</sup>
	13 (4WD) - 6.2L <sup>1</sup>	13 (4WD) – 6.2L <sup>1</sup>
	21 (2WD) - 3.0L	21 (2WD) – 3.0L
	20 (4WD) - 3.0L	20 (4WD) – 3.0L
Highway	20 (2WD) - 6.2L <sup>1</sup>	20 (2WD) – 6.2L <sup>1</sup>
	19 (4WD) – 6.2L <sup>1</sup>	19 (4WD) – 6.2L <sup>1</sup>
	27 (2WD) - 3.0L	27 (2WD) – 3.0L
	26 (4WD) - 3.0L	26 (4WD) – 3.0L

¹Most vehicles built on or after 6-7-2021 equipped with a V-8 engine and 10-speed automatic transmission are not equipped with Automatic Stop/Start and its content. Contact a dealer for details on a specific vehicle. Vehicles not equipped with Automatic Stop/Start will be less fuel efficient.

## **ENGINES**

LITOLITES	
	6.2L V-8 VVT DI with Dynamic Fuel Management
Bore & Stroke (in / mm):	4.06 x 3.62 / 103.25 x 92
Block & Cylinder Head	Cast aluminum
Material:	
Valvetrain:	Overhead valve, two valves per cylinder, variable valve timing
Fuel Delivery:	Direct high-pressure fuel injection with Dynamic Fuel Management
Horsepower	420 / 313 @ 5600 (SAE certified)
(hp / kW @ rpm):	
Torque	460 / 623 @ 4100 (SAE certified)
(lb-ft / Nm @ rpm):	

	Duramax 3.0L DOHC I-6 Turbo-Diesel	 Formatou: Português (Portugal)
Bore & Stroke (in / mm):	3.30 x 3.54 / 84 x 90	
Block & Cylinder Head	Cast aluminum	
Material:		
Valvetrain:	Dual-overhead camshafts, four valves per cylinder	
Fuel Delivery:	High-pressure, common-rail direct injection (36,250 psi / 2500 bar);	
	electronic throttle valve	
Horsepower	277 / 207 @ 3750	
(hp / kW @ rpm):		
Torque	460 / 623 @ 1500 (GM estimated)	
(lb-ft / Nm @ rpm):		

## TRANSMISSION & AXLE

Type:	Hydra-Matic 10L80 10-speed automatic
Final Drive Ratio:	3.23 (6.2L and 3.0L turbo-diesel)

## **CHASSIS & SUSPENSION**

Front Suspension:	Independent coil-over-shocks and stabilizer bar; available Air Ride Adaptive		
	Suspension and Magnetic Ride Control		
Rear Suspension:	Independent multilink with coil-over shocks and stabilizer bar; available Air		
	Ride Adaptive Suspension and Magnetic Ride Control		
Steering Type:	Electric power-assisted rack-and-pinion		
Brake Type:	Four-wheel disc with ABS; vented front and rear Duralife <sup>™</sup> rotors		
Wheel Size:	22-in aluminum		
Tire Size:	P275/50R22 all-season		

## EXTERIOR DIMENSIONS

	ESCALADE	ESCALADE ESV	
Wheelbase	120.9 / 3071	134.1 / 3407	
(in / mm):			
Overall Length	211 / 5382	226.9 / 5766	
(in / mm):			
Overall Width	81.0 / 2059	81.1 / 2059	
(in / mm):			
Overall Height	76.6 / 1948	76.4 / 1942	
(in / mm):			
Track (in / mm):	68.5 /1737 (front)	68.5 / 1737 (front)	
	68.3 / 1730 (rear)	68.3 / 1730 (rear)	

## INTERIOR DIMENSIONS

	ESCALADE	ESCALADE ESV
Headroom	42.3 / 1074 (first row)	42.3 / 1074 (first row)
(in / mm):	38.9 / 988 (second row)	38.9 / 988 (second row

Headroom	42.3 / 1074 (first row)	42.3 / 1074 (first row)
(in / mm):	38.9 / 988 (second row)	38.9 / 988 (second row)
	38.2 / 970 (third row)	38.2 / 970 (third row)
Legroom	44.5 / 1131 (first row)	44.5 / 1131 (first row)
(in / mm):	41.7 / 1060 (second row)	41.7 / 1060 (second row)
	34.9 / 886 (third row)	36.6 / 933 (third row)
Shoulder Room	65.5 / 1664 (first row)	65.5 / 1664 (first row)
(in / mm):	64.6 / 1641 (second row)	64.6 / 1641 (second row)
	62.7 / 1592 (third row)	62.8 / 1595(third row)
Hip Room	61.7 / 1567 (first row)	61.7 / 1567 (first row)
(in / mm):	61.2 / 1554 (second row)	61.2 / 1554 (second row)
	49.4 / 1255 (third row)	49.4 / 1256 (third row)
EPA Passenger	168.4 / 4733	170.4 / 4802
Volume		
(cu ft / L):		

# CAPACITIES AND TRAILERING

ESCALADE **ESCALADE ESV** 

Curb Weight	5635 / 2556 (6.2L 2WD)	5785 / 2624 (6.2L 2WD)
(lb. / kg):	5822 / 2640 (6.2L 4WD)	5992 / 2718 (6.2L 4WD)
	5827 / 2643 (3.0L 2WD)	5974 / 2710 (3.0L 2WD)

	COAE / 2720 /2 OL AMID)	C402 /2004 /2 OL 4M/D)
	6015 / 2728 (3.0L 4WD)	6182 / 2804 (3.0L 4WD)
Max Payload (lb. /	1636 / 742 (6.2L 2WD)	1636 / 742 (6.2L 2WD)
kg)*:	1647 / 747 (6.2L 4WD)	1548 / 702 (6.2L 4WD)
	1620 / 735 (3.0L 2WD)	1519 / 689 (3.0L 2WD)
	1632 / 695 (3.0L 4WD)	1329 / 603 (3.0L 4WD)
Cargo Volume	109.1 / 3089 (behind first row)	126.6 / 3585 (behind first row)
(cu. ft. / L) ^:	63 / 1784 (behind second row)	81.5 / 2308 (behind second row)
	25.5 / 722 (behind third row)	42.9 / 1214 (behind third row)
Tralering (lb. /	7700 / 3492 – 6.2L 2WD std.	7600 / 3447 – 6.2L 2WD std.
kg)^^:	7500 / 3402 – 6.2L 4WD std.	7400 / 3356 – 6.2L 4WD std.
	8200 / 3719 – 6.2L 2WD max	8100 / 3674 – 6.2L 2WD max
	8000 / 3628 – 6.2L 4WD max	7900 / 3583 – 6.2L 4WD max
	8000 / 3628 – 3.0L 2WD	7900 / 3583 – 3.0L 2WD
	7800 / 3538 – 3.0L 4WD	7700 / 3492 – 3492 4WD

<sup>^</sup>Cargo and load capacity limited by weight and distribution. \* For comparison purposes only. See the owner's manual and the label on the vehicle door jamb for the carrying capacity of a specific vehicle. ^^Before you buy a vehicle or used it for trailering, carefully review the trailering section of the Owner's Manual. The weight of the passengers, cargo and options my reduced the amount you can tow.

#### **ESCALADE CONTENT BY TRIM**

## **Select Interior & Technology Features**

FEATURE	LUXURY	PREMIUM LXURY	PLATINUM LUXURY	SPORT	PLATINUM SPORT
Leatherette seating	S				
Mulan leather seating	-	S		S	-
Opus semi-aniline leather			S		S
seating (1st/2nd row -					
3rd row Mulan)					
12-way power front seats	S	S		S	
16-way power front seats			S		S
with massage					
Heated 1st/ 2nd row	S	S	S	S	S
seats					
Heated steering wheel	S	S	S	S	S
Memory (seats, mirrors	S	S	S	S	S
and steering wheel)					
Tri-zone climate control	S	S	S	S	S
Ionizer air cleaner		S	S	S	S
Hands-free power liftgate	S	S	S	S	S
RainSense wipers	S	S	S	S	S
Remote start	S	S	S	S	S
Power-release 2nd row	S	S	S	S	S
bucket seats					
OLED instrument cluster and infotainment display	S	S	S	S	S

AKG Studio Sound 19- speaker audio system	S	S		S	
AKG Studio Reference 36- speaker audio system	-	А	S	-	S
Cadillac User Experience	S	S	S	S	S
NFC phone pairing	S	S	S	S	S
Wireless charging	S	S	S	S	S
Two USB A and five USB C	S	S	S	S	S
ports					
Power second-row bench	Α	Α	Α	Α	Α
seat					
Panoramic sunroof		S	S	S	S
Soft-close doors		Α	S	Α	S

**Propulsion & Chassis Technologies** 

FEATURE	LUXURY	PREMIUM	PLATINUM	SPORT	PLATINUM
	_	LXURY	LUXURY		SPORT
6.2L V-8 engine with	S	S	S	S	S
Stop/Start					
Duramax 3.0L turbo-	Α		Α	-	-
diesel with Stop/Start					
10-speed automatic	S	S	S	S	S
transmission					
Electronic Transmission	S	S	S	S	S
Range Selector					
Four-wheel drive	Α	Α	Α	Α	Α
Mechanical limited-slip	S	S			
differential					
Electronic limited-slip			S	S	S
differential					
Independent rear	S	S	S	S	S
suspension					
Magnetic Ride Control			S	S	S
Four-corner air-ride		Α	S	Α	S
adaptive suspension with					
selectable modes					
Trailering package	S	S	S	S	S
Trailering integration			S	S	S
package (incl. integrated					
brake controller, hitch					
assist guidelines,					
trailering app and					
camera)					
22-inch wheels	S	S	S	S	S

Select Driver Awareness Technologies^

FEATURE	LUXURY	PREMIUM LXURY	PLATINUM LUXURY	SPORT	PLATINUM SPORT
Front Automatic Braking	S	S	S	S	S
Front & Rear Park Assist	S	S	S	S	S
Automatic Emergency Braking	S	S	S	S	S
Front Pedestrian Detection	S	S	S	S	S
Rear Pedestrian Detection	S	S	S	S	S
Safety Alert Seat	S	S	S	S	S
Lane Keep Assist	S	S	S	S	S
Forward Collision Alert	S	S	S	S	S
Adaptive Park Assist		S	S	S	S
Head-Up Display		S	S	S	S
Rear Camera Mirror		S	S	S	S
Lane Keep Assist with Lane Departure Warning		S	S	S	S
Side Blind Zone Alert		S	S	S	S
Rear Cross Traffic Alert	-	S	S	S	S
Lane Change Alert		S	S	S	S
Night Vision		Α	Α	Α	Α
Adaptive Cruise Control – Advanced		А	S	Α	S
Enhanced Automatic Emergency Braking		А	S	Α	S
Reverse Automatic Braking		А	S	Α	S
Automatic Safety Belt Tightening		А	S	Α	S

<sup>&#</sup>x27;Asfety or driver assistance features are no substitute for the driver's responsibility to operate the vehicle in a safe manner. The driver should remain attentive to traffic, surroundings and road conditions at all times. Visibility, weather and road conditions may affect feature performance. Read the vehicle's owner's manual for more important safety limitations and information.